





Workbench

Type A - Single worksettings with no overhang

FEATURES Retreat Workbench is part of the versatile range of

free-standing booths and screens which support agile work throughout the open-plan office. The partially enclosed, fixed-height worktop creates a space efficient focus area or collaboration bench for four to six people.

Single or dual work focus or collaborative settings

Optional single or double overhang for touchdown space

Screens upholstered in fabric of your choice 1370W+

Frame powdercoated in black or white

Range of integrated power options to choose from

Cable slings under desktop for cable management

Optional integrated, energy-efficient LED lighting with daylight and presence sensor technology.

Optional accessory hooks for hanging toolboxes, whitebaords and other accessories.

3 year warrantly

4-6 week lead time



Type B - Dual worksettings with double overhang



Type D - Collab worksetting supporting 4 or 6 people




Type C - Single worksettings with fully enclosed screens and single overhang




Workbench

Specifications




Glide detail




Retreat workbench Type A - Single worksettings

Workbench


Specifications




No Overhang RWB-B-NO / RWB-B-NO-P1 / RWB-B-NO-P2



Single Overhang RWB-B-SO / RWB-B-SO-P1 / RWB-B-SO-P2





Double Overhang RWB-B-DO / RWB-B-DO-P1 / RWB-B-DO-P2




3450


3175













Retreat workbench Type B - Dual worksettings

Workbench


Specifications





No Overhang RWB-A-NO / RWB-A-NO-P1 / RWB-A-NO-P2




Single Overhang RWB-A-SO / RWB-A-SO-P1 / RWB-A-SO-P2















Retreat workbench Type C - Single worksettings wth fully enclosed screens

Workbench

Specifications



Retreat workbench Type D - Collab worksetting

Workbench

Accessories

FEATURES

Solid Brass or black anodised aluminium Retreat Wall Hook to hang personal items.

Optional integrated, energy-efficient LED dual lighting by Waldmann (with daylight and presence sensor technology)

Optional power and USB charge

Retreat toolbox made of steel with a solid oak handle. Powder coated in various colours.

Retreat circular whiteboard Ø360mm



Retreat wall hooks



Integrated lighting



Retreat toolbox



Retreat circular whiteboard ø360mm



Workbench

Desktop power options -Single + Dual worksettings





Athena rail - 4 GPO (with and

without rotated ends)



Switch



Wireless charge



Data port



Wireless charge

Athena rail - clamped to desk top 2 GPO

Standard - Scallop on desktop only Optional Athena rail



Echo Duo - Power / USB A+C Echo

Echo Duo - Power / Wireless

P1 - 1x Echo Duo per setting with a mix of either 1x Echo power outlet with 1x Echo USB A+C / 1x Wireless charging or, a grommet for pulling through cables



 $\ensuremath{\textbf{P2}}$ - Ø80mm hole per setting for either a Konexus, Zens or Quantum wireless charging

Single + Dual worksettings power options - Standard option / P1 / P2

Workbench

Desktop power options -Collab worksettings





Blinky - through desk mount 3x power outlet

3x power outlet and 3x USB-A+C

P3 - 2x Blinky



· ·

Centra - through desk mount 2x GPO and 2x USB-A

P4 - 1x Centra



Centra - 4x GPO and 2x DATA



Rotating outlet covers



Echo Duo - Power / USB A+C Echo

Echo Duo - Power / Wireless

P5 - 1x Echo Duo per setting with a mix of either 1x Echo power outlet with 1x Echo USB A+C / 1x Wireless charging or, a grommet for pulling through cables

Collab worksettings power options - No provision for power option / P3 / P4 / P5



Workbench

Softwiring

FEATURES

Softwiring, Modular Wiring, or "Plug and Play Wiring" enables the easy use and re-use of electrical wiring components when installing or re-configuring commercial office workstations without the additional churn cost associated with hard wiring. This not only saves time and increases productivity during on-site installation, but also gives the end maximum flexibility for future expansion

Softwiring is the PLUG + PLAY alternative to electricians pulling cables through workstations and hard terminating

It is the medium by which a client's workstation electrical installation system can be easily reconfigured to cater for frequent moves and changes

Utilizing a fully modular 20Amp connector system on all cables and power outlets, it is both cost effective and environmentally friendly, as all components of the system are fully re-useable

Softwiring normally commences from an underfloor, in ceiling starter socket, or mounted on a standard wall plate



Softwire lead fitting




Starter box wall mounted



Softwire lead



4 way splitter





vidak.co.nz

Auckland

66 Lady Ruby Drive East Tamaki, Auckland 2013 PO Box 58820 Botany Auckland 2163 New Zealand

T +64 9 273 0033 F +64 9 273 0032

E sales@vidak.co.nz

Wellington

303 Willis Street Te Aro, Wellington 6011 PO Box 9171 Wellington 6011 New Zealand

T +64 4 802 4615 F +64 4 802 4659

E sales@vidak.co.nz

